Rti.exe 15.1.0.43 10.03.2016

:\\Files\ \ .\ 2\1.\\\.\

.

: -33° : 81 % : 25,6° : 75 %

:3 /

: 232

: -1 -4,2

		, °				,	
				,	,		
-1001	,	16	,	0	38441	0	38445
-1002		16	,	0	1343	0	1345
-1003		18	,	0	1863	0	1865
-1004		18	,	0	363	0	365
-1005		18	,	0	886	0	890
-1006		18	,	0	581	0	585
-1007		18	,	0	122	0	125
-1008		18	,	0	1212	0	1215
-1009		18	,	0	1572	0	1575
-1010		18	,	0	396	0	400
-1011		18	,	0	1084	0	1085
-1012		18	,	0	563	0	565
-1013		18	,	0	726	0	730
-1014 1018		16	,	0	1282	0	1285
-1015		15	,	0	101	0	105
-1016		25	,	0	240	0	240
-1017		25	,	0	3542	0	3545
-1019		18	,	0	356	0	360
-1020		20	,	0	2936	0	2940
-1020		20	-	0	2936	0	2940

-1023		18	-	,	0	248	0	250
-1025		18	-	,	0	242	0	245
-1026		18	-	,	0	94	0	95
-1029		16	-	,	0	117	0	120
-1030	VIP	18	-	,	0	898	0	900
-1031		18	-	,	0	798	0	800
-1032		18	-	,	0	744	0	745
-1033		18	-	,	0	1797	0	1800
-1034		18	-	,	0	802	0	805
-1035		18	-	,	0	115	0	115
-1036		18	-	,	0	47	0	50
-1037		16	-	,	0	45	0	45
-1038		18	-	,	0	652	0	655
-1039		18	-	,	0	1114	0	1115
-1040		16	-	,	0	1545	0	1545
-1041		16	_	,	0	22	0	25
-1043		10	-	,	0	44	0	45
-1044		10	-	,	0	44	0	45
-1046		16	-	,	0	1507	0	1510
-1047		16	-	,	0	893	0	895
-1048 1048		16	-	,	0	2357	0	2360
-1050		16	-	,	0	890	0	890
-1051		16	-	,	0	1507	0	1510
-1052		18	-	,	0	874	0	875
-1053		16	-	,	0	376	0	380
-1054		16	-	,	0	86	0	90
-1055		16	-	,	0	644	0	645
-1056+1 150	+	16	-	,	0	76	0	80
-1057	1	18	-	,	0	122	0	125
	1	16	1		0	70	0	70

-1059		18		0	201	0	205
			-				
-1060	. /1 -	25	-	0	8324	0	8325
-1061		18	,	0	266	0	270
-1062		18	,	0	223	0	225
-1063	-	18	,	0	528	0	530
-1064		16	,	0	518	0	520
-1065		16	,	0	32	0	35
-1066 1067		18	,	0	349	0	350
-1068		18	,	0	331	0	335
-1069		18	,	0	953	0	955
-1070		25	,	0	1557	0	1560
-1071		25	,	0	1955	0	1955
-1073		25	,	0	229	0	230
-1074		25	,	0	141	0	145
-1075		16	,	0	66	0	70
-1076		18	,	0	1033	0	1035
-1077	.22-26,	16	,	0	518	0	520
-1078		16	,	0	93	0	95
-1079		25	-	0	86	0	90
-1080		20	-	0	63	0	65
-1081		25	-	0	511	0	515
-1082		20	, -	0	1745	0	1745
-1083		18	, -	0	201	0	205
-1084		30	,	0	822	0	825
-1085		30	,	0	904	0	905
-1086		30	,	0	904	0	905
-1087		16	,	0	30	0	30
-1088		16	,	0	55	0	55
-1089		20	,	0	829	0	830
-1090		20	,	0	693	0	695
			l	1			

-1091	20	,	0	412	0	415
-1093	18	,	0	501	0	505
-1095	25	,	0	93	0	95
-1096	25	, -	0	99	0	100
-1097	25	,	0	110	0	110
-1098	25	,	0	106	0	110
-1099+1 100	+ 16	,	0	35	0	35
-1101	25	,	0	212	0	215
-1102	25	,	0	310	0	310
-1103	18	,	0	523	0	525
-1104	18	,	0	470	0	470
-1105	18	,	0	65	0	65
-1106+1 107	+ 25	,	0	376	0	380
-1108	16	,	0	26	0	30
-1109	16	,	0	1599	0	1600
-1110	16	,	0	1574	0	1575
-1112	5	-	0	986	0	990
-1113	16	-	0	2231	0	2235
-1116	. 16	-	0	2181	0	2185
-1117	10	,	0	12947	0	12950
-1118	16	,	0	2309	0	2310
-1120	16	,	0	755	0	755
-1121	16	,	0	43	0	45
-1122	16	,	0	436	0	440
-1022	16	,	0	616	0	620
-1123	16	,	0	701	0	705
-1124	10	,	0	10798	0	10800
-1125	16	,	0	354	0	355
-1127	16	,	0	216	0	220
-1129	16	,	0	343	0	345

-1130		16		0	982	0	985
1130		10	-		302		303
-1131		16	,	0	2447	0	2450
-1132		10	- ,	0	11400	0	11400
-1133	·	16	,	0	2276	0	2280
-1135		16	,	0	2363	0	2365
-1137		5	,	0	895	0	895
-1141		20	,	0	333	0	335
-1018	8-9 -	16	,	0	3293	0	3295
-1028	25-26 -	16	,	0	3293	0	3295
-1182	10-12 -	16	,	0	3292	0	3295
-1183	16-17, -	16	,	0	6173	0	6175
-1184	22-23 -	16	,	0	3292	0	3295
-1194	27-28, -	16	,	0	8588	0	8590
-1007.1	1	18	,	0	554	0	555
-1060		25	,	0	1307	0	1310
-1072	- 22	16	,	0	41	0	45
-1077	.13-21,	16	,	0	552	0	555
-1077	.23-24,	16	,	0	86	0	90
-1077	.8-13,	16	- ,	0	490	0	490
-1077	.10-11,	16	,	0	86	0	90
-1077	.7-8, - /2	16	- ,	0	414	0	415
-1077	.7-8, /2- /5	16	,	0	210	0	210
-1197	12- 13	25	,	0	427	0	430
-1192	- 21	16	,	0	50	0	50
-1154		18	,	0	244	0	245
-1143 + 1144	, /	16	,	0	52	0	55
-1148	, ,	16	,	0	41	0	45
-1140+1 139	+	16	,	0	92	0	95
-1152	1	16	,	0	1916	0	1920
-1153	2	16	,	0	1916	0	1920
			-				

-1149			16	_	,	0	1035	0	1035
-1167.1			16	-	,	0	391	0	395
-1173	-	6	16	_	,	0	20	0	20
-1174	-	7	16	-	,	0	23	0	25
-1175	-	8	16	-	,	0	23	0	25
-1176	-	9	16	-	,	0	22	0	25
-1177	-	10	16	-	,	0	21	0	25
-1178	-	11	16	-	,	0	23	0	25
-1179	-	12	16	-	,	0	83	0	85
-1180			16	-	,	0	48	0	50
-1191 /		,	18	-	,	0	364	0	365
-1022			16	-	,	0	616	0	620
-1188	6-	7, -	16	-	,	0	6628	0	6630
-1192	21	-22, -	16	-	,	0	10810	0	10810
-1190	12	2-13, -	16	-	,	0	10466	0	10470
-1192.1	17	'-18, -	16	-	,	0	1614	0	1615
-1189	10)-11, -	16	-	,	0	3501	0	3505
-1193	23	3-24, -	16	-	,	0	3554	0	3555
	:					0	238313	0	238670
	:					0	238313	0	238670
						:	0 Вт/м ²		